


Hobs for epicyclic & involute teeth



Material	Vc uncoated	Vc coated	Uncoated	Coated	Rec. Coating
Steel 20AP	70	90	■	□	TRIO (PO)
Steel Law 100X	70	90	■	□	TRIO (PO)
Carbon steel (Finemac)	50	60	■	■	TRIO (PO)
4C27A	60	70	■	■	TRIO (PO)
CK45	80	90	■	■	TRIO (PO)
316L	60	70	■	■	TRIO (PO)
Other stainless steel	60	70	■	■	TRIO (PO)
Leaded brass	150	170	■	-	SOLO (DA)
Lead-free brass	150	170	■	□	SOLO (DA)
CuBe (copper alloys)	100	120	■	□	SOLO (DA)
Nickel silver (Maillechort)	120	140	■	□	SOLO (DA)
Bronze	120	140	■	□	SOLO (DA)
Aluminium	200	220	■	-	SOLO (DA)
Titanium	80	90	■	-	-

not adapted - adapted □ highly adapted ■

Tolerances d_2 : H3 e : ±0.01

Standard modules: 0.015 - 1.000. Other modules upon request

Available uncoated or coated

Z
12-15

Topping

λ
0°

γ
0°

CARB

$m \geq$
0.015

d_1	e	d_2	Z	d_1	e	d_2	Z
6	4	3.5	12	12	6	6.0	15
6	5	3.5	12	12	8	6.0	15
6	6	3.5	12	16	4	8.0	15
8	4	3.5	12/15	16	6	8.0	15
8	5	3.5	12/15	16	8	8.0	15
8	6	3.5	12/15	16	10	8.0	15
8	6	4.5	12/15	16	12	8.0	15
8	8	4.5	12/15	18	6	6.0	15
10	4	3.5	12/15	18	6	8.0	15
10	4	4.0	12/15	18	8	8.0	15
10	4	4.5	12/15	18	10	8.0	15
10	5	3.5	12/15	18	12	8.0	15
10	6	3.5	12/15	24	4	8.0	15
10	5	4.5	12/15	24	5	8.0	15
10	6	4.5	12/15	24	6	8.0	15
12	6	3.5	15	24	8	8.0	15
12	5	4.5	15	24	10	8.0	15
12	6	4.5	15	24	12	8.0	15
12	8	4.5	15	24	15	8.0	15
12	10	4.5	15	32	15	13.0	15
12	6	5.0	15				
12	8	5.0	15				

Option : No topping